

PRODUCT SPECIFICATION

SAFETYWARE Line Pro Class 0 Electrical Rubber Insulating Gloves

- Made with specially treated natural rubber latex compounds that offers superior dielectric properties.
- The superior anatomical construction of these gloves significantly reduces hand fatigue, allowing for extended wear without discomfort.
- The ergonomic design ensures a natural fit, enhancing overall hand dexterity and movement.
- Highly flexible, providing excellent comfort during long durations of use.
- Packed in opaque UV resistant bags and individual boxes for product protection.
- Certified for resistance to :
 - Category A - Resistance to Acid
 - Category Z - Resistance to Ozone
 - Category C - Resistance to Very Low Temperatures

TECHNICAL DATA

MATERIAL	Rubber Latex Compound
COLOUR	Red
CLASS TYPE	Class 0
SIZE	8 - 10
CUFF PROFILE	Straight
LENGTH	360 ± 15 mm
THICKNESS (mm)	1.60 (EN 60903)
PROOF TEST VOLTAGE AC / DC (V)	5,000 / 20,000 V
MAX USE VOLTAGE AC / DC (V)	1,000 / 1,500 V
WITHSTAND TEST VOLTAGE AC (V)	10,000 (EN 60903)
MINIMUM BREAKDOWN VOLTAGE AC (V)	6,000 (ASTM D120)
STANDARD	EN 60903:2003 IEC 60903:2014 ASTM D120 PPE Regulation (EU) 2016/425
SHELF LIFE	1 Year
PACKAGING	12 pairs / carton



Item Code: VLT-C0




APPLICATIONS

- Power companies (Utilities)
- Electrical workshops Installation
- Maintenance and repairs involving high voltage equipment
- Telecommunications and Transportation Industries

SIZING CHART

SIZE	CUFF WIDTH (± 15 mm)	PALM WIDTH (± 15 mm)
8	379	206
9	392	227
10	396	251



SAFETYWARE SDN. BHD. (632971-X)

Plot 237, Lengkok Perindustrian Bukit Minyak 3,
Bukit Minyak Industrial Estate,
14100 Simpang Ampat, Penang, Malaysia

Tel : +604-5023 882 | Fax : +604-5081 882
www.safetyware.com | info@safetyware.com

It is the product users' responsibility to conduct all the appropriate evaluations & testing to determine the suitability of SAFETYWARE products for use in a particular environment or purpose. SAFETYWARE disclaims all warranties other than as expressly provided.

Date created: 22/08/2024

Revision: 02

Date revised: 11/11/2025